Welcome to STN International! Enter x:X

FILE 'HOME' ENTERED AT 11:15:49 ON 20 JAN 2010

=> fil reg

FILE 'REGISTRY' ENTERED AT 11:16:02 ON 20 JAN 2010 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 19 JAN 2010 HIGHEST RN 1202629-39-7 DICTIONARY FILE UPDATES: 19 JAN 2010 HIGHEST RN 1202629-39-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\STNEXP\Queries\Tsuboyama-160c.str

ring nodes :

1 2 4 5 6 7 8 9 10 11 12 13 14 15 18 19

ring bonds :

1-4 1-19 2-5 2-18 4-6 4-10 5-11 5-15 6-7 7-8 8-9 9-10 10-18 11-12 12-

13 13-14 14-15 15-19

exact/norm bonds :

1-4 1-19 2-5 2-18 4-6 4-10 5-11 5-15 6-7 7-8 8-9 9-10 10-18 11-12 12-

13 13-14 14-15 15-19

G1:C,N

Match level :

1:Atom 2:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom

12:Atom 13:Atom 14:Atom 15:Atom 18:Atom 19:Atom

L1 STRUCTURE UPLOADED

=> s L1 sss SAM

SAMPLE SEARCH INITIATED 11:16:30 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 5357 TO ITERATE

37.3% PROCESSED 2000 ITERATIONS

0 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS:

102751 TO 111529

PROJECTED ANSWERS:

0 TO 0

L2 0 SEA SSS SAM L1

=> d L1

L1 HAS NO ANSWERS

L1 STR

Structure attributes must be viewed using STN Express query preparation.

=> s L1 sss FULL

FULL SEARCH INITIATED 11:17:07 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 106624 TO ITERATE

100.0% PROCESSED 106624 ITERATIONS

7 ANSWERS

SEARCH TIME: 00.00.01

L3 7 SEA SSS FUL L1

=> d scan L3

L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper, bis $[\mu - ((6-fluoro-2-pyridinyl-\kappa N))$ bis (trimethylsilyl) methyl-

κC]]di- (9CI)

MF C24 H42 Cu2 F2 N2 Si4

CI CCS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper, bis [μ -[bis(trimethylsily1) [6-[(trimethylsily1)methyl]-2-pyridinyl- κ N]methyl- κ C]]di- (9CI)

MF C32 H64 Cu2 N2 Si6

CI CCS

Me₃Si
$$CH_2$$
 $Cu + Cu$ $CH_2 - SiMe_3$ $CH_2 - SiMe_3$

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper(2+), bis[μ -[2-(η 2-ethenyl)pyridine-N]]bis(2-ethenylpyridine)di-(9CI)

MF C28 H28 Cu2 N4

CI CCS, COM

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper, bis[μ -[(2-pyridinyl- κ N)bis(trimethylsilyl)methyl- κ C]]di- (9CI)

MF C24 H44 Cu2 N2 Si4

CI CCS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1


L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper, bis $[\mu$ - ((2-quinolinyl- κN) bis (trimethylsilyl) methyl-

κC]]di- (9CI)

MF C32 H48 Cu2 N2 Si4

CI CCS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L3 7 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN Copper, bis $[\mu-[(6-methyl-2-pyridinyl-\kappa N)]$ bis (trimethylsilyl) methyl- $\kappa C]$ di-(9CI)

MF C26 H48 Cu2 N2 Si4

CI CCS

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> fil ZCAPlus

FILE 'ZCAPLUS' ENTERED AT 11:17:57 ON 20 JAN 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS is strictly prohibited.

FILE COVERS 1907 - 20 Jan 2010 VOL 152 ISS 4

FILE LAST UPDATED: 19 Jan 2010 (20100119/ED)

REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2009

USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2009

ZCAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s L3

L4 7 L3

=> d L4 ti au so pi hitstr 1-7

L4 ANSWER 1 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN

TI Evaluation of a Novel Cu(I) Precursor for Chemical Vapor Deposition

AU Ye, D.-X.; Carrow, B.; Pimanpang, S.; Bakhru, H.; Ten Eyck, G. A.; Wang, G.-C.; Lu, T.-M.

SO Electrochemical and Solid-State Letters (2005), 8(7), C85-C88 CODEN: ESLEF6; ISSN: 1099-0062

IT 89377-33-3

> RL: CPS (Chemical process); PEP (Physical, engineering or chemical process); PRP (Properties); PROC (Process)

(evaluation as precursor for CVD of copper tin films)

89377-33-3 ZCAPLUS RN

CN Copper, bis $[\mu$ - [(2-pyridinyl- κ N) bis (trimethylsilyl) methylκC]]di- (9CI) (CA INDEX NAME)

ANSWER 2 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN L4

TI Luminescent devices using multinuclear copper coordination compounds

Tsuboyama, Akira; Kamatani, Jun; Furugori, Manabu; Okada, Shinjiro; IN Takiguchi, Takao

so PCT Int. Appl., 71 pp.

CODEN. PIXXD2

	CODEN:	DDEN: PIXXD2															
	PATENT NO.				KIND		DATE		APPLICATION NO.								
PI WO 2005054			4404		Δ1		20050616		WO 2004-JP17331								
FI																	
	₩:	ΑE,	AG,	АL,	AM,	AT,	ΑU,	AZ,	BA,	вв,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
		GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	KE,	KG,	KP,	KR,	ΚZ,	LC,	LK,
		LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI,	ΝQ,
		NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	SG,	SK,	SL,	SY,	TJ,
		TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	VN,	YU,	ZA,	ZM,	ZW	
	RW:	BW,	GH,	GM,	KE,	LS,	MW,	MZ,	NA,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AM,
		ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	TJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,
		EE,	ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	IS,	IT,	LU,	MC,	NL,	PL,	PT,	RO,
		SE,	SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,
		NE,	SN,	TD,	TG												
	JP 2005190987				A 20050714				JP 2004-298501						20041013		
	JP 4328	JP 4328702				B2 20090909											
US 20070072001				A1 20070329				1	US 2006-577160					20060426			
IT	89377-33	3-3P	3 9	9233	4 - 05	-3P	85	3994	-25-	9 P							
	853994-2	26-01	₽														
	RL: DEV (Device component use); SPN (Synthetic preparation); PREP																
(Preparation); USES (Uses) (luminescent devices using multinuclear copper coordination compd																	
												ds.)					

(luminescent devices using multinuclear copper coordination compds.)

RN89377-33-3 ZCAPLUS

CN Copper, bis $[\mu$ - [(2-pyridinyl- κN) bis (trimethylsilyl) methylκC]]di- (9CI) (CA INDEX NAME)

RN 392334-05-3 ZCAPLUS

CN Copper, bis[μ -[(6-methyl-2-pyridinyl- κ N)bis(trimethylsilyl)methyl- κ C]]di- (9CI) (CA INDEX NAME)

RN 853994-25-9 ZCAPLUS

CN Copper, bis[μ -[(2-quinolinyl- κ N)bis(trimethylsilyl)methyl- κ C]]di- (9CI) (CA INDEX NAME)

RN 853994-26-0 ZCAPLUS


CN Copper, bis[μ -[(6-fluoro-2-pyridinyl- κ N)bis(trimethylsilyl)methyl- κ C]]di- (9CI) (CA INDEX NAME)

- L4 ANSWER 3 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN
- TI Syntheses and crystal structures of binuclear gold(I), silver(I) and copper(I) complexes containing bulky pyridyl functionalized alkyl ligands
- AU van den Ancker, Tania R.; Bhargava, Suresh K.; Mohr, Fabian; Papadopoulos, Stavroula; Raston, Colin L.; Skelton, Brian W.; White, Allan H.
- SO Journal of the Chemical Society, Dalton Transactions (2001), (20), 3069-3072
 - CODEN: JCSDAA; ISSN: 1472-7773
- IT 392334-05-3P 392334-07-5P
 - RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and crystal structure of)
- RN 392334-05-3 ZCAPLUS
- CN Copper, bis $[\mu-[(6-methyl-2-pyridinyl-\kappa N)]$ bis (trimethylsilyl) methyl- $\kappa C]$ di-(9CI) (CA INDEX NAME)

- RN 392334-07-5 ZCAPLUS
- CN Copper, bis [μ -[bis(trimethylsily1) [6-[(trimethylsily1)methyl]-2-pyridinyl- κ N]methyl- κ C]]di- (9CI) (CA INDEX NAME)

- L4 ANSWER 4 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN
- TI Photophysics and photochemical reactivities of organocopper(I) complexes.

Crystal structure of [Cu2(PPh2Me)4(µ, n1-C.tplbond.CPh)2] ΑU Yam, Vivian Wing-Wah; Lee, Wai-Kit; Cheung, Kung Kai; Lee, Hung-Kay; Leung, Wing-Por so Journal of the Chemical Society, Dalton Transactions: Inorganic Chemistry (1996), (13), 2889-2891 CODEN: JCDTBI; ISSN: 0300-9246 ΙT 89377-33-3 RL: PRP (Properties) (photophysics and photochem. reactivities of organocopper(I) complexes) RN 89377-33-3 ZCAPLUS Copper, bis $[\mu - [(2-pyridinyl-\kappa N)bis(trimethylsilyl)methyl-$ CN κC]]di- (9CI) (CA INDEX NAME)



CCI CCS

ANSWER 5 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN L4ΤI Structure and proton NMR spectrum of a binuclear copper(I) complex with non-bridging and bridging 2-vinylpyridine ligands (vpy), $[Cu2(\mu-vpy)2(vpy)2](ClO4)2$ Munakata, Megumu; Kitagawa, Susumu; Simono, Hisao; Emori, Tsunehiko; ΑU Masuda, Hideki Journal of the Chemical Society, Chemical Communications (1987), (23), SO 1798-9 CODEN: JCCCAT; ISSN: 0022-4936 117412-02-9P IT RL: SPN (Synthetic preparation); PREP (Preparation) (preparation, proton NMR, and crystal structure of) RN 117412-02-9 ZCAPLUS Copper (2+), bis $[\mu$ - [2- $(\eta 2$ -ethenyl) pyridine-N]] bis (2-CN ethenylpyridine)di-, diperchlorate (9CI) (CA INDEX NAME) CM 1 CRN 127618-18-2 CMF C28 H28 Cu2 N4

CM 2

CRN 14797-73-0 CMF Cl O4

L4 ANSWER 6 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN

Syntheses and crystal structures of complexes [M2R2], [M = copper, silver, or gold; R = 2-C(SiMe3)2C5H4N] and [Cu4R'4] [R' = 2-CH(SiMe3)C5H4N]; electrochemical generation of [Cu2R2]2+

AU Papasergio, Rocco I.; Raston, Colin L.; White, Allan H.

SO Journal of the Chemical Society, Dalton Transactions: Inorganic Chemistry (1972-1999) (1987), (12), 3085-91 CODEN: JCDTBI; ISSN: 0300-9246

IT 89377-33-3P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation, crystal structure, and electrochem. of)

RN 89377-33-3 ZCAPLUS

CN Copper, bis[μ -[(2-pyridinyl- κ N)bis(trimethylsilyl)methyl- κ C]]di- (9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 7 ZCAPLUS COPYRIGHT 2010 ACS on STN

TI Synthesis of pyridine-functionalized, sterically hindered lithium and

copper(I) alkyls. Crystal structures of [[2-(Me3Si)2C(M)C5H4N]2] (M = lithium or copper), dimeric compounds free of multicenter bonding Papasergio, Rocco I.; Raston, Colin L.; White, Allan H. ΑU SO Journal of the Chemical Society, Chemical Communications (1983), (23), 1419-20 CODEN: JCCCAT; ISSN: 0022-4936 IT 89377-33-3P RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation) (preparation and crystal and mol. structure of) RN 89377-33-3 ZCAPLUS Copper, bis $[\mu$ - [(2-pyridinyl- κ N)bis (trimethylsilyl)methyl-CN κC]]di- (9CI) (CA INDEX NAME)

---Logging off of STN---

Executing the logoff script...

=> LOG Y

=>

STN INTERNATIONAL LOGOFF AT 11:22:54 ON 20 JAN 2010